



AMERICAN ROOFING PRODUCTS

The difference in our Products is our Service

STANDING SEAM GUIDE



The difference in our Products is our Service

American Roofing Products - Standing Seam



All standing seam orders are custom built to specs—see your sales representative.

AmeriLoc Standing Seam (Nail Flange)

Standard Specifications

- 26 GA Galvalume steel substrate.
- 50 ksi minimum yield strength.
- 16" coverage width per panel.
- 1" rib height.
- Installs over solid substrate.
- 10 colors available ([see pricing sheet](#)).
- 3:12 recommended minimum roof pitch.
- Standard lengths available to 48'.
- Striated, Minor Rib or Flat Panel profiles available (see below).
- Concealed and exposed fastener trims available.

AmeriLoc is a concealed fastener roofing panel that is rollformed with 1" ribs and striations for strength and stability.



Advantages


- Noncombustible.
- Accommodates solar panels.
- Long life with low maintenance.
- Optimized for color retention, longevity, solar reflectance and thermal emissivity.

Typical Applications

- Residential, Commercial, Institutional

Flat panels are prone to excessive oil canning (visible waviness in the metal).

American Roofing Products does not recommend or warranty flat panels.



The difference in our Products is our Service



American Roofing Products - Standing Seam


All standing seam orders are custom built to specs—see your sales representative.

AmeriLoc-II Standing Seam (Clip Attached)

Standard Specifications

- 26 GA Galvalume steel substrate.
- 50 ksi minimum yield strength.
- 10 colors available ([see pricing sheet](#))
- 16" coverage width per panel.
- 1 3/4" rib height with striations
- Installs over solid substrate.
- 3:12 recommended minimum roof pitch.
- Standard lengths available to 48'.
- Striated, Minor Rib or Flat Panel profiles available,
- Concealed and exposed fastener trims available.

AmeriLoc-II is a concealed fastener roofing panel that is rollformed with 1 3/4" ribs and striations for strength and stability.





Advantages

- Architectural standing-seam appearance.
- Low maintenance.
- Fire resistance.
- Easy to install on new or existing roof.

Typical Applications

- Residential, Light Commercial

Panels snap together over clips fastened with pancake screws.



Flat panels are prone to excessive oil canning (visible waviness in the metal).
American Roofing Products does not recommend or warranty flat panels.



The difference in our Products is our Service